


*Fig. 1A*



*Fig. 1B*




Fig. 2a.

215

216A

216B

216C

216D

216E

216F

216G

216H

216I

216J

216K

218

220A

220F

212

214

220B

220C

220D

220E

FILE EDIT VIEW HELP

ADDRESS

MAIN

SYSTEM: WALLRED

SELECT ONE OF THE FOLLOWING:

1. USER TASKS

2. OFFICE TASKS

3. GENERAL SYSTEM TASKS

4. FILES, LIBRARIES, AND FOLDERS

5. PROGRAMMING

6. COMMUNICATIONS

7. DEFINE OR CHANGE THE SYSTEM

8. PROBLEM HANDLING

9. DISPLAY A MENU

10. USER SUPPORT AND EDUCATION

90. SIGN OFF

SELECTION OR COMMAND

==>

RETRIEVE

CANCEL

USER SUPPORT

LOGOFF

HELP

EXIT

PROMPT

SET INITIAL MENU

MORE KEYS

ENTER

SENDKEY

SETTINGS

LOGOFF

HELP

Fig. 2B.

212

TITLE

File Edit View Help

ADDRESS

214

MAIN

215

SELECT ONE OF THE FOLLOWING:

1. USER TASKS

2. OFFICE TASKS

3. GENERAL SYSTEM TASKS

4. FILES, LIBRARIES, AND FOLDERS

5. PROGRAMMING

6. COMMUNICATIONS

7. DEFINE OR CHANGE THE SYSTEM

8. PROBLEM HANDLING

9. DISPLAY A MENU

10. USER SUPPORT AND EDUCATION

90. SIGN OFF

216A

216B

216C

216D

216E

216F

216G

216H

216I

216J

216K

218

SELECTION OR COMMAND

230A

230B

230C

230D

230E

230F

EXIT

PROMPT

RETRIEVE

CANCEL


USER SUPPORT

SET INITIAL MENU

SYSTEM: WALLRED

Fig. 28.

Fig. 3






Fig. 4

<HTML>  
<HEAD>  
  
<SCRIPT language=javascript>function DisplayHelp (page)  
  {var path = "/Live/help/" + page; window.open (path,  
  "ArpeggioLiveHelp", "toolbars=1, location=0,  
  directories=0, status=1, menubar=1, scrollbars=1,  
  resizable=1, copyhistory=0, width=600, height=700"); }  
</SCRIPT>  
</HEAD>  
<META HTTP-EQUIV="REFRESH" CONTENT="180;  
URL=/scripts/Liveiis.dll/Time out/34502/">  
  
<TITLE>AS400 - AS400 - AS400 Demo</TITLE>  
<BODY background=" "  
onLoad+"document.forms[0].TextInputxR20xC7xL153.focus()">  
  
<center>  
  <h2 align=center>ARPEGGIO&#153 Live! Publishing  
  Server</h2>  
</center>  
  
<table border=1 bgcolor="#000000">  
<TR>  
  <TD>  
    <FONT SIZE=3>  
    <FORM METHOD="POST" ACTION="/scripts/Liveiis.dll/  
Form/34502/1307221321/277DFC/">  
    <pre>  
  
      <FONT COLOR="#00FFFF">MAIN</FONT>  
      <FONT COLOR="#FFFFFF">AS/400 Main  
      Menu</FONT>  
  
      <FONT COLOR="#00FF00">System:</FONT>

*Fig. 5A.*



<FONT COLOR="#00FFFF">Select one of the  
following:</FONT>

<FONT COLOR="#00FF00"> <A HREF="/scripts/Liveiis.dll/  
Menuitem/34502/1/1307221321/277DFC"> <FONT COLOR=  
"#00FF00">1. User tasks</FONT></a></FONT>

<FONT COLOR="#00FF00"> <A HREF="/scripts/Liveiis.dll/  
Menuitem/34502/2/1307221321/277DFC"> <FONT COLOR=  
"#00FF00">2. Office tasks</FONT> </a> </FONT>

<FONT COLOR="#00FF00"> <A HREF="/scripts/Liveiis.dll/  
Menuitem/34502/3/1307221321/277DFC"> <FONT COLOR=  
"#00FF00">3. General system tasks</FONT> </a> </FONT>

<FONT COLOR="#00FF00"> <A HREF="/scripts/Liveiis.dll/  
Menuitem/34502/4/1307221321/277DFC"> <FONT COLOR=  
"#00FF00">4. Files, libraries, and folders</FONT> </a>  
</FONT>

<FONT COLOR="#00FF00"> <A HREF="/scripts/Liveiis.dll/  
Menuitem/34502/5/1307221321/277DFC"> <FONT COLOR=  
"#00FF00">5. Programming</FONT> </a> </FONT>

<FONT COLOR="#00FF00"> <A HREF="/scripts/Liveiis.dll/  
Menuitem/34502/6/1307221321/277DFC"> <FONT COLOR=  
"#00FF00">6. Communications</FONT> </a> </FONT>

<FONT COLOR="#00FF00"> <A HREF="/scripts/Liveiis.dll/  
Menuitem/34502/7/1307221321/277DFC"> <FONT COLOR=  
"#00FF00">7. Define or change the system</FONT> </a>  
</FONT>

<FONT COLOR="#00FF00"> <A HREF="/scripts/Liveiis.dll/  
Menuitem/34502/8/1307221321/277DFC"> <FONT COLOR=

*Fig. 5B.*

FIG. 5B

<FONT COLOR="#00FF00"> <A HREF="/scripts/Liveiis.dll/  
Menuitem/34502/9/1307221321/277DFC"> <FONT COLOR=  
"#00FF00">9. Display a menu</FONT> </a> </FONT>

<FONT COLOR="#00FF00"> <A HREF="/scripts/Liveiis.dll/  
Menuitem/34502/10/1307221321/277DFC"> <FONT COLOR=  
"#00FF00">10. User support and education</FONT> </a>  
</FONT>

<FONT COLOR="#00FF00"> <A HREF="/scripts/Liveiis.dll/  
Menuitem/34502/90/1307221321/277DFC"> <FONT COLOR=  
"#00FF00">90. Sign off</FONT> </a> </FONT>

<FONT COLOR="#00FF00"> Selection or  
command</FONT>

<FONT COLOR="#00FF00"> = = => </FONT>

<INPUT TYPE="text" SIZE=73 MAXLENGTH=153 NAME=  
"TextInputXR20xC7xL153" Value= ' ' >

<FONT COLOR="#00FFFF"> <INPUT TYPE="submit"  
NAME="F3" VALUE=' Exit'> </FONT>

<FONT COLOR="#00FFFF"> <INPUT TYPE="submit"  
NAME="F4" VALUE=' Prompt'> </FONT>

<FONT COLOR="#00FFFF"> <INPUT TYPE="submit"  
NAME="F9" VALUE=' Retrieve'> </FONT>

<FONT COLOR="#00FFFF"> <INPUT TYPE="submit"  
NAME="F12" VALUE=' Cancel'> </FONT>

<FONT COLOR="#00FFFF"> <INPUT TYPE="submit"

*Fig. 5C.*

<FONT COLOR="#00FFFF"> <INPUT TYPE="submit"  
NAME="F23" VALUE=' Set initial menu'> </FONT>

<FONT COLOR="#FFFFFF"> (C) COPYRIGHT IBM CORP.  
1980, 1989. </FONT>

</pre>

</TD>

</TR>

</TABLE>

More Keys:

<SELECT NAME="SendKey">

<OPTION SELECTED>Enter

<OPTION>Attention

<OPTION>Backspace

<OPTION>Back Tab

<OPTION>Clear

<OPTION>Delete

<OPTION>Dup

<OPTION>End

<OPTION>Erase EOF

<OPTION>Erase Input

<OPTION>Field Exit

<OPTION>Field Minus

<OPTION>Field Plus

<OPTION>Home

<OPTION>Help

<OPTION>Print

<OPTION>Page Up

<OPTION>Page Down

<OPTION>Reset

<OPTION>System Request

*Fig. 5D.*

<OPTION>Test Request  
<OPTION>F1  
<OPTION>F2  
<OPTION>F3  
<OPTION>F4  
<OPTION>F5  
<OPTION>F6  
<OPTION>F7  
<OPTION>F8  
<OPTION>F9  
<OPTION>F10  
<OPTION>F11  
<OPTION>F12  
<OPTION>F13  
<OPTION>F14  
<OPTION>F15  
<OPTION>F16  
<OPTION>F17  
<OPTION>F18  
<OPTION>F19  
<OPTION>F20  
<OPTION>F21  
<OPTION>F22  
<OPTION>F23  
<OPTION>F24  
</SELECT>  
    <INPUT TYPE="submit"    VALUE=" SendKey">  
    <INPUT TYPE="submit"    NAME=" SettingsButton"  
VALUE="Settings">  
    <INPUT TYPE="submit"    NAME=" LogoffButton" VALUE=  
"Logoff">  
    <INPUT TYPE="button"    VALUE="Help"  
    onclick="DisplayHelp ('UserGuide/as400/index.html')">  
<HR>  
<BR>

*Fig. 5E.*

Images/AS4\_0409.Gif"><BR>  
    <INPUT NAME="CtrlCheckBox" TYPE=checkbox VALUE=  
"0001">CTRL  
    <INPUT NAME="AltCheckBox" TYPE=checkbox VALUE=  
"0002">ALT  
    <INPUT NAME="ShiftCheckBox" TYPE=checkbox  
VALUE="0003">SHIFT  
</Form>  
</FONT>  
</BODY>  
<div align=center> <center>  
  
</TABLE BORDER=1 cellpadding=1>  
<TR>  
    <TD>  
        <STRONG> Copyright © 1996. Wall Data Incorporated  
    </STRONG>  
    <TD>  
</TR>  
</TABLE>  
<div> </center>  
</HTML>  
<HTML>  
<HEAD>  
  
<SCRIPT language=javascript>function DisplayHelp(page) {  
    var path = "/alive/help/" + page;  
    window.open(path, "ArpeggioLiveHelp", "toolbars=l,  
location=0, directories=0, status=l, menubar=l, scrollbars=l,  
resizable=l, copyhistory=0, width=600, height=700"); }  
</SCRIPT>  
</HEAD>  
<META HTTP-EQUIV="REFRESH" CONTENT="180;  
URL=/scripts/aliveiis.Dll/Timeout/60577/">

*Fig. 5F.*

<BODY background=" "  
onLoad="document.forms[0].TextInputxR5xC37xL10.focus()">  
  
<center>  
    <h2 align=center>ARPEGGIO&#153 Live! Publishing  
Server</h2>  
</center>  
  
<table border=1 bgcolor="#000000">  
<TR>  
    <TD>  
        <FONT SIZE=3>  
        <FORM METHOD = "POST" ACTION="/scripts/aliveiis.DII/  
Form/60577/318193112/18FD7B9/">  
        <pre>  
        <FONT COLOR="#FFFFFF"><STRONG>            Go to Menu  
(GO) </STRONG></FONT>  
  
        <FONT COLOR="#00FFFF"><STRONG>Type choices,  
press Enter.</STRONG></FONT>  
  
        <FONT COLOR="#00FF00">Menu .....  
</FONT>  
  
        <INPUT TYPE="text" SIZE=10 MAXLENGTH=10 NAME=  
"TextInputxR5xC37xL10" Value="">  
  
        <FONT COLOR="#00FF00">Name, generic\*, \*ALL </FONT>  
  
        <FONT COLOR="#00FF00"> Library ..... </FONT>  
  
        <INPUT TYPE="text" SIZE=10 MAXLENGTH=10 NAME=  
"TextInputxR6xC39xL10" Value="\*LIBL">  
  
        <FONT COLOR="#00FF00">Name, \*LIBL, \*CURLIB <INPUT

*Fig. 59.*

"></FONT>

<FONT COLOR="#00FF00">Return point . . . . .  
</FONT>

<INPUT TYPE="text" SIZE=4 MAXLENGTH=4 NAME=  
"TextInputxR7xC37xL4" Value="\*YES">

<FONT COLOR="#00FF00">\*YES, \*NO </FONT>

<FONT COLOR="#FFFFFF"><STRONG><A HREF=  
"/scripts/aliveiis.Dll/SendKey/60577/Page+Up/318193112/  
18FD7B9">

<FONT COLOR="#FFFFFF">Up</FONT></a></STRONG>  
</FONT>

<FONT COLOR="#00FFFF"><STRONG><INPUT TYPE=  
"submit" NAME="F3" VALUE="Exit">  
<INPUT TYPE="submit" NAME="F4" VALUE="Prompt">  
<INPUT TYPE="submit" NAME="F5" VALUE="Refresh">  
<INPUT TYPE="submit" NAME="F12" VALUE="Cancel">  
<INPUT TYPE="submit" NAME="F13" VALUE="How to use  
this display">

<INPUT TYPE="submit" NAME="" VALUE="More keys">  
</STRONG></FONT>  
</pre>  
</TD>  
</TR>  
</TABLE>

More Keys:

<SELECT NAME="SendKey">  
<OPTION SELECTED>Enter  
<OPTION>Attention

*Fig. 5H.*

"></FONT>

<FONT COLOR="#00FF00">Return point . . . . .  
</FONT>

<INPUT TYPE="text" SIZE=4 MAXLENGTH=4 NAME=  
"TextInputXR7xC37xL4" Value="\*YES">

<FONT COLOR="#00FF00">\*YES, \*NO </FONT>

<FONT COLOR="#FFFFFF"><STRONG><A HREF=  
"/scripts/aliveiis.Dll/SendKey/60577/Page+Up/318193112/  
18FD7B9">

<FONT COLOR="#FFFFFF">Up</FONT></a></STRONG>  
</FONT>

<FONT COLOR="#00FFFF"><STRONG><INPUT TYPE=  
"submit" NAME="F3" VALUE="Exit">  
<INPUT TYPE="submit" NAME="F4" VALUE="Prompt">  
<INPUT TYPE="submit" NAME="F5" VALUE="Refresh">  
<INPUT TYPE="submit" NAME="F12" VALUE="Cancel">  
<INPUT TYPE="submit" NAME="F13" VALUE="How to use  
this display">

<INPUT TYPE="submit" NAME="" VALUE="More keys">  
</STRONG></FONT>  
</pre>  
</TD>  
</TR>  
</TABLE>

More Keys:

<SELECT NAME="SendKey">  
<OPTION SELECTED>Enter  
<OPTION>Attention

*Fig. 5J.*



<OPTION>Back Tab  
<OPTION>Clear  
<OPTION>Delete  
<OPTION>Dup  
<OPTION>End  
<OPTION>Erase EOF  
<OPTION>Erase Input  
<OPTION>Field Exit  
<OPTION>Field Minus  
<OPTION>Field Plus  
<OPTION>Home  
<OPTION>Help  
<OPTION>Print  
<OPTION>Page Up  
<OPTION>Page Down  
<OPTION>Reset  
<OPTION>System Request  
<OPTION>Tab  
<OPTION>Test Request  
<OPTION>F1  
<OPTION>F2  
<OPTION>F3  
<OPTION>F4  
<OPTION>F5  
<OPTION>F6  
<OPTION>F7  
<OPTION>FB  
<OPTION>F9  
<OPTION>F10  
<OPTION>F11  
<OPTION>F12  
<OPTION>F13  
<OPTION>F14  
<OPTION>F15  
<OPTION>F16

*Fig. 5f.*

Title: METHOD OF ACCESSING INFORMATION ON A HOST  
COMPUTER FROM A CLIENT COMPUTER

Inventors: S.M. Stedman et al.

Docket No.: WDIC117389

Express Mail No.: EL919766460US

---

</TABLE>  
<div> </center>  
</BODY>  
</HTML>

*Fig. 5K.*




Fig. 6





Fig. 7



*Fig. 8*




Fig. 9A.

912 →

914 →

918A →

918B →

918C →

920 →

□ TITLE □

□ File Edit View Help

ADDRESS

GO TO MENU (GO)

TYPE CHOICES, PRESS ENTER.

MENU . . . . .

LIBRARY. . . . .

RETURN POINT. . . . .

NAME GENETIC\*ALL

NAME\*LIBL \*CURLIB. . .

\*YES, \*NO


UP

EXIT PROMPT REFRESH CANCEL HOW TO USE THIS DISPLAY MORE KEYS

MORE KEYS ENTER [v] SENDKEY SETTINGS LOGOFF HELP

Fig. 9B.

Fig. 10





<HTML>  
<HEAD>  
<SCRIPT language=javascript>function DisplayHelp(page) {  
var path = "/alive/help/" + page ;  
window.open(path,"ArpeggioLiveHelp","toolbars=1,location=0,d  
irectories=0,status=1,menubar=1,scrollbars=1,resizable=1,cop  
yhistory=0,width=600,height=700");  
}  
</SCRIPT></HEAD>  
<META HTTP-EQUIV="REFRESH" CONTENT="180;  
URL=/scripts/aliveiis.DII/Timeout/60577/">  
<TITLE>AS400 - AS400 Demo</TITLE>  
<BODY background=" "  
onLoad="document.forms[0].TextInputxR5xC37xL10.focus() ">  
<center>  
<h2 align=center>ARPEGGIO&#153 Live! Publishing  
Server</h2>  
</center>  
  
<table border=1 bgcolor="#000000">  
<TR><TD>  
  
<FONT SIZE=3>  
<FORM METHOD = "POST"  
ACTION="/scripts/aliveiis.DII/Form/60577/318193112/18FD7B9  
/">  
<pre>                   <FONT COLOR="#FFFFFF"><STRONG>  
Go to Menu (GO)                   </STRONG></FONT>  
  <FONT COLOR="#00FFFF"><STRONG>Type choices, press  
Enter.</STRONG></FONT>  
  <FONT COLOR="#00FF00">Menu .....</FONT>  
<INPUT TYPE="text" SIZE=10 MAXLENGTH=10  
NAME="TextInputxR5xC37xL10" Value=""> <FONT  
COLOR="#00FF00">Name, generic\*, \*ALL

*Fig. 11A.*

*Fig. 11B.*

<OPTION>F18  
<OPTION>F19  
<OPTION>F20  
<OPTION>F21  
<OPTION>F22  
<OPTION>F23  
<OPTION>F24  
</SELECT>  
<INPUT TYPE="submit" VALUE="SendKey">  
<INPUT TYPE="submit" NAME="Settings" VALUE=  
"Settings">  
<INPUT TYPE="submit" NAME="Logoff" VALUE= "Logoff">  
<INPUT TYPE="button" VALUE="Help" onclick=  
"DisplayHelp('UserGuide/as400/index.html')">  
  
<HR><BR>  
  
<INPUT TYPE="image" NAME="KeyMap" SRC="/Alive/  
Images/HostKeymap.Gif"><BR>  
<INPUT NAME="CTRL" TYPE=checkbox VALUE="0001">  
CTRL  
<INPUT NAME="ALT" TYPE=checkbox VALUE="0002">  
ALT  
<INPUT NAME="SHIFT" TYPE=checkbox VALUE=  
"0003">SHIFT  
</Form>  
  
</FONT>  
  
</TABLE BORDER=1 cellpadding=1>  
<TR>  
<TD>  
<STRONG> Copyright © 1996. Wall Data Incorporated  
</STRONG>  
<TD>

*Fig. 11C.*

Title: METHOD OF ACCESSING INFORMATION ON A  
HOST COMPUTER FROM A CLIENT COMPUTER

Inventors: S.M. Stedman et al.

Docket No.: WDIC117389

Express Mail No.: EL919766460US

---

<STRONG> Copyright © 1996, Wall Data  
Incorporated </STRONG>

</TD>

</TR>

</TABLE>

</div></center>

</HTML>

*Fig. 11D.*






Fig. 12A


*Fig. 12B*



1002993-1002993



*Fig. 13*



*Fig. 14*